

Law Offices
FOLEY & LARDNER
Suite 500
3000 K Street, N.W.
Washington, DC 20007-5109
(202) 672-5300

TO: Assistant Commissioner for Patents
Box Patent Applications
Washington D.C. 20231

Attorney Docket No. 072982-0191

(must include alphanumeric codes if no inventors named)

UTILITY PATENT APPLICATION TRANSMITTAL
(new nonprovisional applications under 37 CFR 1.53(b))

Transmitted herewith for filing is the patent application of:

INVENTOR(S): Kaoru UCHIDA

TITLE: INFORMATION PROCESSING DEVICE AND INFORMATION PROCESSING METHOD
USING FINGERPRINT IDENTIFICATION

In connection with this application, the following are enclosed:

APPLICATION ELEMENTS:

XX Specification - 27 TOTAL PAGES

(preferred arrangement:)

- Descriptive Title of the Invention
- Cross Reference to Related Applications
- Statement Regard Fed sponsored R&D
- Reference to Microfiche Appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure

XX Drawings - Total Sheets 6

XX Declaration and Power of Attorney - Total Sheets 2

XX Newly executed (original or copy)

___ Copy from a prior application (37 CFR 1.63(d))

(relates to continuation/divisional boxes completed) - NOTE: Box below

___ **DELETION OF INVENTOR(S)** - Signed statement attached deleting inventor(s)
named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).

___ **Incorporation By Reference** (useable if copy of prior application
Declaration being submitted)

The entire disclosure of the prior application, from which a COPY of the
oath or declaration is supplied as noted above, is considered as being
part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.

___ Microfiche Computer Program (Appendix)

___ Nucleotide and/or Amino Acid Sequence Submission (if applicable,
all necessary)

___ Computer Readable Copy

___ Paper Copy (identical to computer copy)

___ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

- ☒ XX Assignment Papers (cover sheet & document(s))
☐ 37 CFR 3.73(b) Statement (when there is an assignee)
☐ English Translation Document (if applicable)
☒ XX Information Disclosure Statement/Form PTO-1449/Three (3) References
☐ Preliminary Amendment
☒ XX Return Receipt Postcard (MPEP 503)
☐ Small Entity Statement(s)
☐ Statement file in prior application, status still proper and desired.
☒ XX Certified Copy of Priority Document(s) with Claim of Priority
(if foreign priority is claimed).
☒ XX OTHER: Check in the amount of \$800.00

If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)
of prior application Serial No. ☐.

☐ Amend the specification by inserting before the first line the following sentence: --This application is a ☐ continuation, ☐ divisional or ☐ continuation-in-part of application Serial No. ☐, filed ☐.--

CORRESPONDENCE ADDRESS:

Foley & Lardner Address noted above.
Telephone: (202) 672-5300
Fax Number: (202) 672-5399

FEE CALCULATIONS: (Small entity fees indicated in parentheses.)

(1) For	(2) Number Filed	(3) Number Extra	(4) Rate	(5) Basic Fee \$760 (\$380)
Total Claims	15 - 20 =	0	x \$18 (x \$9)	
Independent Claims	3 - 3 =	0	x \$78 (x \$39)	
Assignment Recording Fee per property			\$40	\$40.00
Surcharge Under 37 C.F.R. 1.16(e)			\$130 (\$65)	
			TOTAL FEE:	\$800.00

METHOD OF PAYMENT:

A check in the amount of the above TOTAL FEE is attached. If payment is enclosed, this amount is believed to be correct; however, the Commissioner is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No. 19-0741.

Respectfully submitted,

Date: September 15, 1999
Docket No.: 072982-0191

David A. Blumenthal
David A. Blumenthal
Reg. No. 26,257

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
APPLICATION FOR LETTERS PATENT

Title: INFORMATION PROCESSING DEVICE AND INFORMATION PROCESSING
METHOD USING FINGERPRINT IDENTIFICATION

INVENTOR(S): KAORU UCHIDA

INFORMATION PROCESSING DEVICE AND INFORMATION PROCESSING METHOD USING FINGERPRINT IDENTIFICATION

BACKGROUND OF THE INVENTION

The present invention relates to an information processing device using fingerprint matching. More to particularly, this invention relates to an information processing device and an information processing method in which suspension-resumption function is improved when a large number of people share the identical information processing device.

Description of the Prior Art

As one example in which a plurality of persons share the identical information device is an electronic picture book. The electronic picture book for the sake of amusements or education is that content of the picture book is converted into electronic data and stored in the storage medium for indicating by using information processing device and so forth so that when the user pushes button "progress" of the device, the content of the book is indicated on display screen as image successively as turning the pages thereof. Such the information device for electronic picture book is provided for a home, a kindergarten, or a primary school, so it is supposed that one information device for the electronic picture book is shared with a plurality of users. In such the condition, it occurs that on one's way of the user A of one person reads to be progressed the electronic picture book, namely on one's way of the user A of one person uses the information device, another user B should use that device for lack of an alternative. In such the case, it becomes necessary to obtain suspension / resumption function so as to enable reading to be resumed smoothly from the point where the user A finished reading at the last time, when the user A is capable of using the device again.

Further, another example is a game device. The game device is provided for the facilities for amusements or a home. The former is as a

matter of course used by a plurality of the users. Also the latter is used by a plurality of the users such as brothers, friends, or the like. The game device is also necessary to preserve therein progressive condition or operation environment or the like in every user, thus it becomes
5 necessary to provide the suspension / resumption function similar to the information device for electronic picture book.

Furthermore, still another example is a retrieval device (for instance, such device retrieves home page in the internet), which is shared with a plurality of users. In the retrieval operation, it is capable of
10 being improved retrieval efficiency by using past retrieval history, therefore, at the time of start of use of the retrieval device, it is desirable to be able to restore the own past retrieval history information to resume.

The conventional method as the suspension / resumption function is that when the user suspends the use of the device, individual
15 information for the user that to what extent of the picture book the user reads to be progressed, is preserved while adding a name (file name or password). When the user resumes the use of the device, the user obtains the own individual information regarding the information device while specifying the name (file name or password).

20 However, as the method for realizing the suspension / resumption function, when the user suspends the use of the information device, the user preserves the own individual information while adding the file name thereto. When the user resumes the use of the information device, the user should obtain the own individual information by specifying the file
25 name. This method forces the user to store the file name into which the own individual information is preserved. Such the burden becomes heavy for the user in that since the password is effective due to meaningless character string, the user should use such the meaningless character string as the password in order that the own individual information is not
30 changed by another person.

Further, there is the problem that operation for inputting file name or specifying file name is not always easy for the user such as a little child, a minor, an advanced age, or a disabled person.

5

SUMMARY OF THE INVENTION

10 In view of the foregoing, it is an object of the present invention, in order to overcome the above mentioned problem, to provide an information processing device and an information processing method using fingerprint matching in which when a plurality of users share the identical information device and the plurality of users have respective individual information (to what extent of the electronic picture book the user read to be progressed, etc) regarding the information device, the invention reduces the burden of the user at the time of suspension / resumption of use of the device and it is capable of being performed the
15 suspension / resumption smoothly.

An automatic reading and matching technique has been developed for single-fingerprint identification. The identification strategy is based on the matching of minutiae, such as ridge endings and ridge bifurcations of a fingerprint. Pattern features for identification are detected from the
20 fingerprint and described by minutia positions, directions and relationships. The relationship is expressed by four ridge counts. Each ridge count is measured between the concerned minutia and its nearest minutia in each quadrant of a local coordinate system, which is determined by the position and the direction of the minutia. In the
25 fingerprint identification, the best matched minutiae pairs are finally selected according to the degree of similarity between fingerprint features under examination and registered fingerprint in a file. Similarity between two fingerprints is obtained through comparison of selected minutiae pairs.

30

Several identification strategies, based upon the matching of

minutiae, such as ridge ending or ridge bifurcation of fingerprints have been developed for automatic fingerprint identification systems. Since minutiae are simple patterns, it is easy to detect them automatically. Consequently, minutiae matching strategy is suitable for automatic fingerprint identification system.

According to a first aspect of the present invention, in order to achieve the above-mentioned object, there is provided an information processing method using fingerprint matching comprising the steps of identifying user according to an inputted fingerprint, preserving user's individual information associated with the user in connection with a device in every identified user at the time when the user suspends use of the device which the user uses, and selecting the user's individual information corresponding to identified user, which is preserved, to provide for the user when the user resumes use of the device.

According to a second aspect of the present invention, in the first aspect, there is provided an information processing method using fingerprint matching, wherein the user's individual information includes any of work progressive information, work environmental information, and work historical information of the user who uses said device.

According to a third aspect of the present invention, there is provided an information processing device using fingerprint matching which comprises a fingerprint image input means for acquiring fingerprint image of a user to output the fingerprint image to a fingerprint feature extraction means, a suspension / resumption management means accepting instruction either suspension or resumption of use of the device from the user to output the instruction either suspension or resumption to a fingerprint feature extraction means and a user individual information storage means, the fingerprint feature extraction means receiving the fingerprint image from the fingerprint image input means, before extracting fingerprint feature from the

fingerprint image, when received instruction from the suspension /
resumption management means is suspension, outputting the fingerprint
feature to the user individual information storage means, while when
received instruction from the suspension / resumption management
5 means is resumption, outputting the fingerprint feature to a fingerprint
matching means, a user individual information storage means storing
therein the fingerprint feature received from the fingerprint feature
extraction means associated with the user's individual information
regarding the device when instruction received from the suspension /
10 resumption management means is suspension, while when instruction
received from the suspension / resumption management means is
resumption, outputting still stored fingerprint feature (hereinafter
referring to registered fingerprint feature) group to receive matching
result from fingerprint matching means, subsequently, selecting
15 fingerprint feature from inside of registered fingerprint feature group
according to the matching result, thus selecting the user's individual
information associated with selected the fingerprint feature in order to
output to a user individual information processing means, a fingerprint
matching means receiving the registered fingerprint feature group from
20 the user individual information storage means, before implementing
matching processing between the registered fingerprint feature group
and fingerprint feature received from the fingerprint feature extraction
means, thus outputting matching result to the user individual
information storage means, and a user individual information processing
25 means receiving the user's individual information from the user
individual information storage means, before implementing specific
processing in answer to content of the user's individual information.

According to a fourth aspect of the present invention, in the third
aspect, there is provided an information processing device using
30 fingerprint identification, wherein the user's individual information

includes any of work progressive information, work environmental information, and work historical information of the user who uses the device.

According to a fifth aspect of the present invention, in the third or
5 fourth aspect, there is provided an information processing device using
fingerprint identification, wherein the suspension / resumption
management means outputs the instruction of either suspension or
resumption to also an indication information management means in
addition to the fingerprint feature extraction means and the user
10 individual information storage means, and the user individual
information processing means is provided with a instruction input means
accepting an instruction of operation of the device from the user in order
to output instruction of the operation to the indication information
processing means, a presentation information management means
15 storing therein management information of information to be presented
for the user, in order to output the management information while
updating the management information in answer to instruction of the
operation to presentation means when receiving instruction of the
operation from the instruction input means, a presentation means
20 receiving the management information from the presentation information
management means, before acquiring information to be presented for the
user from the device data storage means according to the management
information in order to present, and a device data storage means storing
therein information which the device should maintain, when the
25 presentation information management means receives instruction of
suspension from the suspension / resumption management means,
outputting the management information to the user individual
information storage means, while when the presentation information
management means receives instruction of resumption from the
30 suspension / resumption management means, updating storage content

according to the management information received from the user individual information storage means.

According to a sixth aspect of the present invention, in the fifth aspect, there is provided an information processing device using fingerprint identification, in which the information processing device using fingerprint identification comprises at least one client section consisting of the fingerprint scanner, the suspension / resumption management means, the feature extraction means, the instruction input means, the presentation means, and the presentation information management means, and at least one server section consisting of the user individual information storage means, the fingerprint matching means, and the device data storage means, wherein the client section is connected with the server section through network.

According to a seventh aspect of the present invention, in any of the third to sixth aspects, there is provided an information processing device using fingerprint identification, wherein the information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

According to an eighth aspect of the present invention, there is provided a storage medium stored therein a computer implemented information processing program using fingerprint identification comprising the steps of a step for identifying user according to inputted fingerprint, a step for accepting instruction of either suspension or resumption, a step for storing the user's individual information regarding a device into which the program is installed associated with the user in the case of reception of instruction of suspension in every identified user, and a step for selecting to be provided the individual information corresponding to identified user in the case of reception of instruction of resumption from the inside of user's individual information stored previously.

As stated above according to the present invention, the information processing device identifies user by fingerprint inputted, at the time of suspension of use of the information processing device, preserving the user's individual information (for instance work
5 progressive information, work environmental information, or work historical information) regarding the information processing device associated with the user, while at the time of resumption of use of the information processing device, acquiring above-described individual information corresponding to the identified user in order to provide the
10 individual information for the user.

The above and further objects and novel features of the invention will be more fully understood from the following detailed description when the same is read in connection with the accompanying drawings. It should be expressly understood, however, that the drawings are for
15 purpose of illustration only and are not intended as a definition of the limits of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing a configuration of enforcement of
20 the present invention;

Fig. 2 is a block diagram showing a first embodiment of the present invention;

Fig. 3 is a block diagram showing a second embodiment of the present invention;

25 Fig. 4 is a block diagram showing a third embodiment of the present invention;

Fig. 5 is a block diagram showing a fourth embodiment of the present invention; and

30 Fig. 6 is a block diagram showing a fifth embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A preferred configuration of an enforcement of the present invention will be described referring to Fig. 1. An information processing device 1 of the present invention comprises a fingerprint scanner 10, a suspension / resumption management section 11, a feature extraction section 12, a user individual information storage section 13, a one-to-multiplicity matching section 14, and a user individual information processing section 15.

The fingerprint scanner 10 captures the fingerprint image at the time when finger of the user comes into contact with the fingerprint scanner 10. The fingerprint scanner 10 converts the image data into the digital image data so as to be able to process in the feature extraction section 12. The fingerprint scanner is constituted in such a way that the fingerprint scanner causes light emitted by LED to reflect by a prism, at this time, capturing the fingerprint image by converting the reflected light into the digital image using CCD while utilizing the matter that reflectance is different between fingerprint ridge and valley section of the finger in accordance with fingerprint ridge of the finger placed in the outside of reflected face. The above system is an optical system using optical scanner, and also similar system can be realized by solid-state fingerprint sensor. Such the solid-state fingerprint sensor is disclosed in "A Robust, 1.8 V, 250 uW, Direct Contact 500 dpi Fingerprint Sensor" by Inglis et al. IEEE ISSCC 98, SA 17.7, pp. 285-285, 1998. 2.

The suspension / resumption management section 11 implements instructions of suspension or resumption of use of the device to the feature extraction section 12 and / or the user individual information storage section 13 according to an input of the user.

The feature extraction section 12 receives the fingerprint image from the fingerprint scanner 10. The feature extraction section 12 executes processing for extracting feature using in fingerprint matching

regarding the fingerprint image. As a realization method of feature extraction, for instance, there is a method described in the following literature: "Automated Fingerprint Identification by Minutia-Network Feature --Feature Extraction Processes--" by Ko ASAI, Yukio HOSHINO and Kazuo KIJJI, "Transactions of the Institute of Electronic and Communication Engineers (Japan)" vol. J72-D-II, no. 5, pp. 724 to 732 (May 1989). Here, this method extracts a ridge-pattern from gray level image including the ridge according to binarization processing and thinning processing. The method detects position of the Ending-point and the Bifurcation. Subsequently, the method counts number of ridges crossing on a line which connects the Ending-point to the Bifurcation. The method represents the relationship view as a digital data which is a fingerprint feature for the sake of the fingerprint matching. The fingerprint feature which is extracted (hereinafter, referring to inputted fingerprint feature) is outputted to the user individual information storage section 13 when receiving instruction of suspension from the suspension / resumption management section 11, while when instruction of resumption is received, the fingerprint feature is outputted to the one-to-multiplicity matching section 14.

The individual information storage section 13 receives the instruction of the suspension from the suspension / resumption management section 11. The individual information storage section 13 stores therein the inputted fingerprint feature received from the feature extraction section 12 associated with an individual information of the user regarding the information processing device 1 (hereinafter, fingerprint information stored in the user individual information storage section 12 is referred as registered fingerprint feature). Further, fingerprint feature of different finger of the user of one person is capable of being stored while being associated with respective different individual information.

Here, the user individual information includes the whole data which are regarded as useful information in relation to the user himself in the data which is processed by the information processing device 1. Such data are work progressive information, work environmental information, and work historical information. The work progressive information informs that the work is progressed to what extent. The work environmental information informs that the work is implemented in what environment. The work historical information informs that the work is performed with what instruction. The above work information is capable of being thought as the data when the user suspends use of the device. Concretely, following information is capable of being thought: "to what extent of the electronic picture book the user reads to be progressed", "to what extent of the game the user progresses", "what background screen is selected in display screen", "the display screen did become what lay-out", "what retrieval result is obtained until now", "what retrieval key is given until now", "what command is given until now".

Such the user individual information is also specified by the user himself. As well as the user individual information is also specified automatically in the information processing device 1.

The user individual information storage section 13 receives the instruction of resumption from the suspension / resumption management section 11. The user individual information storage section 13 outputs registered fingerprint feature group to the one-to-multiplicity matching section 14. The user individual information storage section 13 selects the registered fingerprint feature having the most highest similarity of the inputted fingerprint feature and the user's individual information which is associated therewith, according to matching result received from the one-to-multiplicity matching section 14. The user individual information storage section 13 outputs this user individual information to the user individual information processing section 14.

The one-to-multiplicity matching section 14 receives the inputted fingerprint feature from the feature extraction section 12. The one-to-multiplicity matching section 14 receives the registered fingerprint feature group from the user individual information storage section 13.

5 The one-to-multiplicity matching section compares the inputted fingerprint feature with the respective registered fingerprint feature to calculate the similarity, thus outputting the fingerprint feature with the highest similarity in the registered fingerprint feature group to the user individual information storage section 13 as the identification result.

10 Here, it is suitable that the similarity is enhanced when the fingerprint feature to be compared is obtained from the identical finger. It is capable of being used Mahalanobis distance in the special space formed in accordance with the fingerprint feature. Further, such the similarity is obtained by the method which is disclosed in, for instance, "Automated
15 Fingerprint Identification by Minutia-Network Feature -Matching Process-" by Ko ASAI, Yukio HOSHINO, and Kazuo KIZI, Transactions of the Institute of Electronics and Communication Engineers (Japan), vol. J72-D-II, no. 5, pp, 733 to 740 (May 1989), as the prior art.

20 Further, when a matching processing is implemented in the one-to-multiplicity matching section 14, it is suitable to output the registered fingerprint feature giving similarity more than threshold value as a matching result without matching with the whole registered fingerprint feature in the case where there is detected the registered fingerprint feature which gives the similarity more than prescribed threshold value
25 in the process of matching processing.

The user individual information processing section 15 receives the selected user individual information from the user individual information storage section 13. The user individual information processing section 15 implements dispatch / presentation of individual information to the user,
30 establishment of the information processing device 1 or communication

for another device group in accordance with content of the user individual information.

Next, there will be described a first embodiment of the configuration of the enforcement of the present invention referring to Fig.

- 5 2. Such embodiment is that the present invention is applied to the electronic picture book device.

The electronic picture book device 2 to be the present embodiment is constituted by comprising a fingerprint scanner 10 for inputting therein a fingerprint stamping image from the user, a suspension /
 10 resumption management section 11, a feature extraction section 12, a user individual information storage section 13, a one-to-multiplicity matching section 14, and a user identical information processing section 15. The user individual information processing section 15 is constituted by comprising an instruction input section 100, an indication information
 15 management section 101, an electronic picture book data storage section 102, and a page indication section 103.

There are various user individual information in the electronic picture book device as follows: Did the user read to be advanced electronic picture book to what extent ? What background picture is selected in the
 20 display screen ? Is the speech male or female when text is outputted by the speech ? In the present embodiment, the information that the user reads to be advanced the electronic picture book to what extent (location information of page) is taken as example of the user individual information to implement explanation.

25 In the present embodiment, constitution and operation of the fingerprint scanner 10, the feature extraction section 12, and the one-to-multiplicity matching section 14 are the same constitution and operation as those described referring to Fig. 1.

The suspension / resumption management section 11 outputs the
 30 instruction of suspension or resumption to the feature extraction section

12 and the user individual information storage section 13, and also outputs to the indication information management section 101.

5 The user individual information storage section 13 receives the instruction of suspension from the suspension / resumption management section 11. The user individual information storage section 13 receives the position information of the page from the indication information management section 101 to store therein the position information of the page associated with the inputted fingerprint feature. Further, the user individual information storage section 13 receives the instruction of
10 resumption from the suspension / resumption management section 11. The user individual information storage section 13 outputs the position information of the page selected according to the result of the matching to the indication information management section 101.

15 The instruction input section 100 accepts instruction of operation regarding the electronic picture book such as "to progress page of the picture book", "to return page of the picture book", and so forth from the user. The instruction accepted is outputted to the indication information management section 101.

20 The indication information management section 101 stores therein a position information of a page to be indicated. When the indication information management section 101 receives instruction of "to progress page of the picture book" and so forth from the instruction input section 100, the indication information management section 101 updates the position information of the stored page in accordance with the instruction
25 to output to the page indication section 104.

Further, when the indication information management section 101 receives the instruction of the suspension from the suspension / resumption management section 11, outputting the position information of the page to the user individual information storage section 13. Here, it
30 is suitable to utilize not only page number which opens now, but to what

extent of the electronic picture book the user reads within the page as detailed information as the position information of the page. Such the detailed information is capable of being obtained in such a way that the page indication section 103 causes touch panel function to be provided therewith, before the user instructs data to what extent of the electronic picture book the user reads within the page in the touch panel.

Furthermore, when the indication information management section 101 receives the instruction of the resumption from the suspension / resumption management section 11, receiving the position information of the page from the user individual information storage section 13 to update storage content, thus outputting to the page indication section 104.

The electronic picture book data storage section 102 stores therein data of the electronic picture book to output data in accordance with a demand from the page indication section 103.

The page indication section 103 receives the position information of the page from the indication information management section 101, thus obtaining data of the page to be indicated according thereto from the electronic picture book data storage section 102 to indicate.

A second embodiment is to apply the present invention to a game device having the same constitution / operation as that of the first embodiment. Namely, as shown in Fig. 3, it is capable of being constituted a game device 3 having suspension / resumption function according to the present invention in such a way that the page indication section of the first embodiment is replaced with a game screen indication section, the electronic picture book storage section of the first embodiment is replaced with a game data storage section, and the position information of the page of the first embodiment is replaced with progress condition information of the game.

Further, a third embodiment is to apply the present invention to a

retrieval device having the same constitution / operation as that of the first embodiment. Namely, as shown in Fig. 4, it is capable of being constituted a retrieval device 4 having suspension / resumption function according to the present invention in such a way that the page indication

5 section of the first embodiment is replaced with a retrieval information-history indication section, the electronic picture book data storage section of the first embodiment is replaced with retrieval object data storage section, and the position information of the page of the first embodiment is replaced with a retrieval history information. In this case, the retrieval

10 history information includes history of retrieval result, or history of retrieval key, or both thereof. Furthermore, the third embodiment enables the past retrieval result and / or the retrieval key used in the past to be reused in such a way that the user instructs in relation to indicated retrieval history information in the retrieval information-history

15 indication section, thus it is capable of being improved expediency in retrieval.

Moreover, a fourth embodiment is to extend the first embodiment to the configuration for utilizing the network. As shown in Fig. 5, in an electronic picture book device 5 to be the fourth embodiment, a client

20 section 6 for indicating the electronic picture book to the user is connected to a server section 7 for managing the electronic picture book data through a network. It is also suitable that there are a plurality of the server sections and the client sections. However, in the present embodiment, configuration of the embodiment consists of one server

25 section and one client section.

In such the electronic picture book device utilizing the network, for instance, there is provided the server section in the electronic library, on the other hand the user reads the electronic picture book from any client section.

The client section 6 is constituted by comprising a fingerprint

scanner 10, a suspension / resumption management section 11, a feature extraction section 12, an instruction input section 100, an indication information management section 101, and a page indication section 103. Further, the server section 7 is constituted by comprising a user individual information storage section 13, a one-to-multiplicity matching section 14, and an electronic picture book data storage section 102.

Operation of respective constitution elements of the present embodiment is fundamentally the same as that of the constitution elements of the first embodiment. A different point from the first embodiment is that input and output between constitution elements included in the client section and constitution elements included in the server section are implemented through the network.

Next, there will be described a fifth embodiment of the present invention referring to the drawing. Referring to Fig. 6, the fifth embodiment is provided with a storage medium 8 stored therein an information processing program using fingerprint identification. The storage medium 8 is suitably a storage medium such as a CD-ROM, a magnetic disk, a semiconductor memory or the like. It is included the case that the data is communicated through the network.

The information processing program using the fingerprint identification is read from the storage medium 8 to the data processing device 9 to control operation of the data processing device 9. The data processing device 9 identifies the user in accordance with a fingerprint image inputted from the fingerprint scanner 10 according to control of the information processing program using the fingerprint identification. The data processing device 9, in the case of reception of instruction for suspension, stores therein individual information for the user associated with the user regarding the device into which the program is installed in every identified user. The data processing device 9, in the case of reception of instruction for resumption, selects the identified individual

information corresponding to the user from the inside of the user individual information stored therein previously to provide for the user.

Namely, the data processing device 9 executes the same processing as the processing according to the suspension / resumption management section 11, the feature extraction section 12, the user individual information storage section 13, the one-to-multiplicity matching section 14, and the user individual information processing section 15 in Fig. 1 in accordance with control of the information processing program using the fingerprint identification.

As described above, according to the present invention, a plurality of users share the identical information device, and the plurality of users have respective individual information (for instance, work progressive information, work environmental information, and work historical information) concerning the information device. The present invention identifies the user according to the inputted fingerprint, thus at the time of suspension of use of the device, preserving individual information for the user regarding the information device associated with the user, while at the time of resumption of use of the device, selecting preserved individual information for the user corresponding to the identified user to provide for the user. It is capable of being reduced burden of the user at the time of suspension / resumption of use of the device, and it is capable of performing suspension / resumption of use of the device smoothly.

While preferred embodiments of the invention have been described using specific terms, the description has been for illustrative purpose only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.

WHAT IS CLAIMED IS:

1. An information processing method using fingerprint identification comprising the steps of:

identifying user according to an inputted fingerprint;

preserving user's individual information associated with the user

5 regarding a device in every identified user at the time when the user suspends use of the device which the user uses; and

selecting said user's individual information corresponding to identified user, which is preserved, to provide for said user when said user resumes use of said device.

2. An information processing method using fingerprint identification as claimed in claim 1, wherein said user's individual information includes any of work progressive information, work environmental information, and work historical information of the user

5 who uses said device.

3. An information processing device using fingerprint identification comprising:

a fingerprint image input means for acquiring fingerprint image of a user to output said fingerprint image to a fingerprint feature extraction

5 means;

a suspension / resumption management means accepting instruction either suspension or resumption of use of said device from said user to output said instruction either suspension or resumption to a fingerprint feature extraction means and a user individual information

10 storage means;

the fingerprint feature extraction means receiving said fingerprint image from said fingerprint image input means, before extracting fingerprint feature from said fingerprint image, when received

instruction from said suspension / resumption management means is
15 suspension, outputting said fingerprint feature to said user individual
information storage means, while when received instruction from said
suspension / resumption management means is resumption, outputting
said fingerprint feature to a fingerprint matching means;

a user individual information storage means storing therein said
20 fingerprint feature received from the fingerprint feature extraction means
associated with the user's individual information regarding said device
when instruction received from said suspension / resumption
management means is suspension, while when instruction received from
said suspension / resumption management means is resumption,
25 outputting still stored fingerprint feature (hereinafter referring to
registered fingerprint feature) group to receive matching result from
fingerprint matching means, subsequently, selecting fingerprint feature
from inside of registered fingerprint feature group according to said
matching result, thus selecting said user's individual information
30 associated with selected said fingerprint feature in order to output to a
user individual information processing means;

a fingerprint matching means receiving the registered fingerprint
feature group from said user individual information storage means,
before implementing matching processing between said registered
35 fingerprint feature group and fingerprint feature received from the
fingerprint feature extraction means, thus outputting matching result to
said user individual information storage means; and

a user individual information processing means receiving the
user's individual information from the user individual information
40 storage means, before implementing specific processing in answer to
content of said user' individual information.

4. An information processing device using fingerprint

identification as claimed in claim 3, wherein said user's individual information includes any of work progressive information, work environmental information, and work historical information of the user who uses said device.

5 5. An information processing device using fingerprint identification as claimed in claim 3, wherein said suspension / resumption management means outputs said instruction of either suspension or resumption to also an indication information management means in addition to the fingerprint feature extraction means and the user individual information storage means, and said user individual information processing means is provided with:

10 a instruction input means accepting an instruction of operation of said device from the user in order to output instruction of said operation to the indication information processing means;

15 a presentation information management means storing therein management information of information to be presented for the user, in order to output said management information while updating said management information in answer to instruction of said operation to presentation means when receiving instruction of said operation from said instruction input means;

20 a presentation means receiving said management information from said presentation information management means, before acquiring information to be presented for the user from the device data storage means according to said management information in order to present; and

25 a device data storage means storing therein information which the device should maintain,

 when said presentation information management means receives instruction of suspension from said suspension / resumption management

means, outputting said management information to the user individual information storage means, while when said presentation information management means receives instruction of resumption from said suspension / resumption management means, updating storage content according to said management information received from said user individual information storage means.

6. An information processing device using fingerprint identification as claimed in claim 4, wherein said suspension / resumption management means outputs said instruction of either suspension or resumption to also an indication information management means in addition to the fingerprint feature extraction means and the user individual information storage means, and said user individual information processing means is provided with:

a instruction input means accepting an instruction of operation of said device from the user in order to output instruction of said operation to the indication information processing means;

a presentation information management means storing therein management information of information to be presented for the user, in order to output said management information while updating said management information in answer to instruction of said operation to presentation means when receiving instruction of said operation from said instruction input means;

a presentation means receiving said management information from said presentation information management means, before acquiring information to be presented for the user from the device data storage means according to said management information in order to present; and

a device data storage means storing therein information which the device should maintain,

when said presentation information management means receives
25 instruction of suspension from said suspension / resumption management
means, outputting said management information to the user individual
information storage means, while when said presentation information
management means receives instruction of resumption from said
suspension / resumption management means, updating storage content
30 according to said management information received from said user
individual information storage means.

7. An information processing device using fingerprint
identification as claimed in claim 5, in which said information processing
device using fingerprint identification comprises at least one client
section consisting of said fingerprint scanner, said suspension /
5 resumption management means, said feature extraction means, said
instruction input means, said presentation means, and said presentation
information management means, and at least one server section
consisting of said user individual information storage means, said
fingerprint matching means, and said device data storage means,
10 wherein said client section is connected with said server section through
network.

8. An information processing device using fingerprint
identification as claimed in claim 6, in which said information processing
device using fingerprint identification comprises at least one client
section consisting of said fingerprint scanner, said suspension /
5 resumption management means, said feature extraction means, said
instruction input means, said presentation means, and said presentation
information management means, and at least one server section
consisting of said user individual information storage means, said
fingerprint matching means, and said device data storage means,

10 wherein said client section is connected with said server section through network.

9. An information processing device using fingerprint identification as claimed in claim 3, wherein said information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

10. An information processing device using fingerprint identification as claimed in claim 4, wherein said information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

11. An information processing device using fingerprint identification as claimed in claim 5, wherein said information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

12. An information processing device using fingerprint identification as claimed in claim 6, wherein said information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

13. An information processing device using fingerprint identification as claimed in claim 7, wherein said information processing device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

14. An information processing device using fingerprint identification as claimed in claim 8, wherein said information processing

device using fingerprint identification is any of an electronic picture book device, a game device, and a retrieval device.

15. A storage medium stored therein a computer implemented information processing program using fingerprint identification comprising the steps of:

a step for identifying user according to inputted fingerprint;

5 a step for accepting instruction of either suspension or resumption;

a step for storing the user's individual information regarding a device into which the program is installed associated with said user in the case of reception of instruction of suspension in every identified user; and

10 a step for selecting to be provided said individual information corresponding to identified user in the case of reception of instruction of resumption from the inside of user's individual information stored previously.

ABSTRACT OF THE DISCLOSURE

An information processing device and an information processing method using fingerprint matching lighten the burden imposed the user in suspension / resumption of use of the device, and enable suspension /
5 resumption to be performed smoothly when a plurality of users share the identical information processing device and when a plurality of users have respective individual information (to what extent of the electronic book the user reads to be progressed, etc) in connection with the information processing device. User is identified according to inputted
10 fingerprint. When use of the device is suspended, individual information (for instance, work progressive information, work environmental information, work historical information) of the user regarding the information processing device is associated with the user to preserve, while when use of the device is resumed, identified individual information
15 to the user preserved corresponding to the user is selected to be provided to the user.

FIG. 1




FIG. 2




FIG. 4




FIG. 5





FIG. 6



DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

INFORMATION PROCESSING DEVICE AND INFORMATION PROCESSING METHOD

USING FINGERPRINT IDENTIFICATION

the specification of which is attached hereto unless the following box is checked:

☐ was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is known by me to be material to patentability as defined in Title 37, Code of Federal Regulations § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)

NUMBER	COUNTRY	DAY/MONTH/YEAR FILED	PRIORITY CLAIMED
10-261502	Japan	16/9/1998	Yes

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

APPLICATION NO.	FILING DATE


I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is known by me to be material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

APPLICATION SERIAL NO.	FILING DATE	STATUS: PATENTED, PENDING, ABANDONED

I hereby appoint as my attorneys, with full powers of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,257; John J. Feldhaus, Reg. No. 28,822; Donald D. Jeffery, Reg. No. 19,980; Eugene M. Lee, Reg. No. 32,039; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; George E. Quillin, Reg. No. 32,792; Colin G. Sandercock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258.

Address all correspondence to FOLEY & LARDNER, Washington Harbour, 3000 K Street, N.W., Suite 500, P.O. Box 25696, Washington, D.C. 20007-8696. Address telephone communications to _____ at (202) 672-5300.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of First or Sole Inventor KAORU UCHIDA	Signature of First or Sole Inventor <i>Kaoru Uchida</i> 	Date 9/7/99
Residence Address Tokyo, Japan	Country of Citizenship Japan	
Post Office Address c/o NEC Corporation, 7-1, Shiba 5-chome, Minato-ku, Tokyo, Japan		

Full Name of Second Inventor	Signature of Second Inventor	Date
Residence Address	Country of Citizenship	
Post Office Address		

Full Name of Third Inventor	Signature of Third Inventor	Date
Residence Address	Country of Citizenship	
Post Office Address		

Full Name of Fourth Inventor	Signature of Fourth Inventor	Date
Residence Address	Country of Citizenship	
Post Office Address		

Full Name of Fifth Inventor	Signature of Fifth Inventor	Date
Residence Address	Country of Citizenship	
Post Office Address		